

SAFETY DATA SHEET
Ceramic Detailer

SECTION 1. IDENTIFICATION

Product Name: Ceramic Detailer
Other name/SDS identifier: W474N6
Chemical Name: Mixture
CAS No: Mixture
Date Issued/Modified: 02/10/2020
Recommended use: Automotive care product
Recommended Restrictions: Application in areas where slipperiness is a hazard.

Manufacturer/Supplier/Distributor information

Company name: Treatment Products Ltd.
Address: 4701 W Augusta Blvd.
Chicago IL 60651
United States of America
Telephone: 773-626-8888: M-F 8:00 AM – 5:30 PM EST
Emergency Telephone number: Infotrac 24 hr.: 1 (800) 535-5053
International: +1 (352) 323-3500

SECTION 2. HAZARDS IDENTIFICATION

Classification of substance or mixture

This product is a hazardous material as per OSHA HCS (29 CFR 1910.1200)
Eye Irrit. 2; Skin Irrit. 2

Label elements

Hazard Symbol(s)



Signal Word(s)

Warning

Hazard Statement (s)

Causes serious eye irritation
Causes skin irritation

Precautionary Statements (s)

Wear eye/face protection and gloves.
Wash hands and exposed skin after use.
Work under ventilation to minimize inhalation of mist/dust/vapors.
IF ON SKIN: Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation (redness, rash, blistering) develops, get medical attention. Wash contaminated clothing before reuse.
IF ON EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

SAFETY DATA SHEET

Ceramic Detailer

IF SWALLOWED: Do not give anything by mouth to an unconscious person. Get immediate medical advice/attention if you feel unwell. Rinse mouth.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	% w*	CAS No.
Dimethicone	0.1-2	63148-62-9
Aminofunctional siloxane	0.1-3	Trade secret
Isopropyl alcohol	0.5-2	67-63-0
Quaternary silicone	0.1-3	Trade secret
Water	>80	7732-18-5

* The exact percentages are withheld as a trade secret in accordance with 29 CFG 1910.1200

SECTION 4. FIRST-AID MEASURES

Inhalation: Remove individual from site of exposure to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get immediate medical attention.

Skin contact: Immediately wash exposed area with soap and water for at least 15 minutes, then with water for at least 5 minutes. If reddening persists, or if open sores or blisters develop, see a physician. Remove contaminated clothing and launder before re-use.

Eye contact: Immediately flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Get medical attention immediately. If physician is not immediately available, continue flushing with water. Do not use chemical antidote.

Ingestion: Small amounts which accidentally enter mouth should be rinsed out until taste of it is gone. Remove dentures if any. If material has been swallowed and the victim is conscious, give small quantities of water to drink. Do not induce vomiting. Obtain emergency medical attention if feeling unwell.

SECTION 5. FIRE FIGHTING MEASURES

Suitable extinguishing media

Use an extinguishing agent suitable for surrounding fire.

Unsuitable extinguishing media

None known.

Advice for fire-fighters

Fire-fighters should wear complete protective clothing including self-contained breathing apparatus (SCBA). Structural firefighter's protective clothing will only provide limited protection. Water or foam may cause frothing which can be violent, especially if sprayed into containers of hot, burning liquid.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions:

SAFETY DATA SHEET

Ceramic Detailer

Work under sufficient ventilation. Eliminate all ignition sources if safe to do so. Avoid contact with skin and eyes. Avoid breathing fume/gas/mist/vapors/spray. Use personal protective equipment.

Environmental precautions:

Prevent release to the environment. Prevent liquid entering sewers, basements and workpits. Collect spills.

Methods and material for containment and cleaning up:

Contain spillages with absorbent material (sand, earth, universal binder or any suitable material). Dispose of absorbed material in accordance with the regulations.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling:

Keep away from fire, sparks and heated surfaces and don't smoke. Wear protective gloves and protective clothings and eye and face protections. Avoid contact with skin and eyes. Only open the container at areas with sufficient ventilation.

Conditions for safe storage, including any incompatibilities

Store at room temperature in tightly closed containers. Prevent contact with heat and ignition sources and oxidizers.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Isopropyl alcohol (CAS: 67-63-0): OSHA Z1, 02/2006; PEL: 400 ppm, 980 mg/m³.
1-Butoxy-2-propanol (CAS: 5131-66-8), TWA = 50 ppm.

Exposure Controls

Engineering controls

If user operation generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Ensure easy access to an eyewash and a safety shower. Adequate ventilation is recommended, especially in enclosed areas.

Personal Protective equipment

Eyes Protection: Wear glasses with side-shields.

Skin protection: Wear nitrile gloves and body-covering clothing.

Respiratory Protection: When facing concentrations above the exposure limit, workers must use appropriate certified respirators.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Milky-white liquid
Odor:	Characteristic/fruity
Odor threshold:	Not available
pH:	7
Melting point/freezing point:	Not available
Boiling point:	Not available

SAFETY DATA SHEET

Ceramic Detailer

Flash point:	> 200 °F
Evaporation rate:	Not available
Flammability (solid, gas):	Not available
Explosive limit ranges:	Not available
Vapor pressure:	Not available
Vapor Density:	Not available
Density:	Not available
Solubility in water:	Dispersible
Viscosity:	Water-like
Volatile organic content:	<1%

SECTION 10. STABILITY AND REACTIVITY

Reactivity:	No specific test data available for this compound
Chemical stability:	Stable under recommended storage conditions
Conditions to avoid:	No specific data available for this compound
Materials to avoid:	Oxidizing agents
Hazardous decomposition products:	Under normal storage and usage condition, hazardous decomposition productions are not expected to be produced
Hazardous reactions:	No dangerous reaction known under conditions of normal use

SECTION 11. TOXICOLOGICAL INFORMATION

The toxicological effect of this product has not been tested. The information below has been compiled from the data reported for the concentrated individual components. Exposure is possible through contacts via skin and eyes and by inhalation. Excessive inhalation may cause irritation. Ingredients other than the ones listed below are considered to have very low acute toxicity.

Aminofunctional siloxane (CAS: Trade secret): Exposure is possible through skin and eye contacts and inhalation. Preexisting conditions of eye, skin and respiratory disorders may be aggravated.

Quaternary silicone (CAS: Trade secret): LD50: < 1400 mg/kg (rat). Contact with skin caused irritation in rats and contact with eyes in rabbits showed risks of serious damage.

Isopropyl alcohol (CAS: 67-63-0): Exposure is possible through skin and eye contacts inhalation. Oral LD50(rat): 5840 mg/kg body weight; Dermal LD50 (rabbit) 16400 mg/kg body weight; Inhalation LC50 (rat)> 10000 ppm. Can cause eye, skin and respiratory irritation.

SECTION 12. ECOLOGICAL INFORMATION

The ecological effect of this product has not been tested. The information below has been compiled from the data reported for the concentrated individual components. This product is not expected to cause a severe environmental harm.

Dimethicone (CAS: 63148-62-9): Non-toxic to fish. Very slow to biodegrade but potential for bioaccumulation is low.

Quaternary silicone (CAS: Trade secret): Is biodegradable and is not expected to bioaccumulate.

SECTION 13. DISPOSAL CONSIDERATIONS

Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Disposal should be in accordance with local, state or national legislation. Consult an accredited waste disposal contractor or the local authority for advice.

SAFETY DATA SHEET
Ceramic Detailer

SECTION 14. TRANSPORT INFORMATION

This material is not regulated for road transport, as per the US DOT regulations (49 CFR US DOT).

SECTION 15. REGULATORY INFORMATION

Inventory Status

United States TSCA Inventory (TSCA)

All components are listed/registered/compliant or exempt.

US Superfund Amendments and Reauthorization Act (SARA) Title III

SARA 302/304 – Extremely hazardous substances

None known

SARA 311/312 – Hazard categories

Fire hazard

Immediate (acute) health hazard

Delayed (chronic) health hazard

SARA 313 – Toxic chemicals

Isopropyl alcohol

California Proposition 65

None known

SECTION 16. OTHER INFORMATION

Date of first issue: Feb 10, 2020

Date of revision: Feb 10, 2020

Disclaimer: Information provided in this document is presented in good faith and is believed to be correct at the time of preparation. No guarantee of completeness, accuracy or reliability is made and the Treatment Products does not accept any liability for damages and losses resulting from the use or reliance of the information herein. This document is designed to provide the user guidance on safe handling, storage, etc, and it is entirely up to the user to determine the completeness of information and its suitability for their purpose.