

**SAFETY DATA SHEET**

U.S. HazCom GHS Format



Date Issued : 10/19/2020

SDS No : 01202

**Simoniz Protectant Trigger Spray New Car Fresh****1. PRODUCT AND COMPANY IDENTIFICATION****PRODUCT NAME:** Simoniz Protectant Trigger Spray New Car Fresh**GENERAL USE:** Cleaning Agent**PRODUCT DESCRIPTION:** Vinyl & Leather Cleaner**PRODUCT CODE:** 01202**GENERIC NAME:** Protectant with Fragrance**MANUFACTURER**

Mr. Brands, LLC  
 c/o Closeout Group!  
 113 Fillmore St.  
 Bristol, PA 19007

**Alternate Contact:** Kyle Smith**Customer Service:** 215-633-8611**E-Mail:** MrBrands@MrBrands.Net**24 HR. EMERGENCY TELEPHONE NUMBERS****Poison Control Center (Medical) :** (800) 222-1222**CANUTEC (Canadian Transportation) :** (613) 996-6666**CHEMTREC (US Transportation) :** (800) 262-8200**2. HAZARDS IDENTIFICATION****GHS LABEL**

Not classified as dangerous in accordance with OSHA 29CFR 1910.1200 and by Regulation (EC) No. 1272/2008.

**SIGNAL WORD:** No Signal Word**PRECAUTIONARY STATEMENTS****Prevention:**

P264: Wash ... thoroughly after handling.

**Response:**

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P350: IF ON SKIN: Gently wash with plenty of soap and water.

P304+P341: IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P314: Get medical advice/attention if you feel unwell.

**Storage:**

P102: Keep out of reach of children.

P233: Keep container tightly closed.

**Disposal:**

P501: Dispose of container: All disposal practices must be in accordance with local, state, national and international regulations.

**POTENTIAL HEALTH EFFECTS**

**EYES:** Contact may cause eye irritation.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Nonhazardous Components or mixture	~ 87 - 100	
Siloxanes And Silicones, Di-me	5 - 20	63148-62-9
Fragrance / Perfume Proprietary	~ 0 - 3	Mixture

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Wash with soap and water. Get medical attention if irritation develops or persists.

**INGESTION:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

**INHALATION:** Move the exposed person to fresh air at once. If breathing stops, provide artificial respiration. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

**EYES:** May be irritating.

**NOTES TO PHYSICIAN:** Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Foam, carbon dioxide or dry powder.

**HAZARDOUS COMBUSTION PRODUCTS:** Hazardous decomposition products: Carbon Oxides and Formaldehyde.

**FIRE FIGHTING PROCEDURES:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Water spray may be used to keep fire exposed containers cool.

**FIRE FIGHTING EQUIPMENT:** Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires. For small outdoor fires, which may easily be extinguished with a portable fire extinguisher, use of a SCBA may not be required.

### 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Contain spilled material. Collect in suitable and properly labeled containers. Pick up excess with inert absorbent material. Keep away from drains and ground water.

**LARGE SPILL:** Always employ the proper personal protective equipment. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas through the use of berms. Collect liquid with explosion proof pumps if possible. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Fluorocarbon alcohol resistant foams may be applied to spill to diminish vapor and fire hazard.

#### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Depending on the size of the spill and the movement characteristics of the water into which it entered, consider use of booms, underflow or overflow dams. Diversion of the material is also an option. Mechanical skimmers, pads and other absorbent materials may be considered as well.

**LAND SPILL:** Construct temporary dikes of dirt, sand, or any appropriate readily available noncombustible (sawdust) material to prevent spreading of the material.

**GENERAL PROCEDURES:** Absorb with diatomaceous earth or equivalent inert material. Shovel up and dispose of at an appropriate

waste disposal facility according to current applicable laws and regulations, and product characteristics at time of disposal.

**SPECIAL PROTECTIVE EQUIPMENT:** Gloves. Protective goggles. Protective clothing. Large spills/in enclosed spaces: compressed air apparatus.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** No special handling procedures are required. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid breathing spray or mist.

**HANDLING:** Handle and use in a manner consistent with good industrial/manufacturing techniques and practices. Open and handle with care. Do not handle near heat, sparks, or flames. Avoid contact with incompatible agents. Use with adequate ventilation/personal protection. Do not enter storage area that is not adequately ventilated. Metal containers used in a transfer should be bonded and grounded. Use non-sparking tools. Observe good personal hygiene after handling this material.

**STORAGE:** Keep container closed to prevent drying out.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material. Maintain eye wash fountain and quick-drench facilities in work area.

**SKIN:** To prevent any contact, wear impervious protective clothing such as neoprene or butyl rubber gloves, apron, boots or whole bodysuit, as appropriate.

**RESPIRATORY:** No special precautions are necessary under normal operating conditions.

If the exposure limit is exceeded and engineering controls are not feasible, a half-face organic vapor respirator may be worn for up to ten times the exposure limit or maximum use concentration specified by the respirator supplier or regulatory agency. A full-face organic vapor respirator may be employed for use in atmospheres that contain up to 50 times the exposure limit. For emergencies or instances where the exposure levels are not known a positive- pressure, full-face piece, air supplied respirator should be employed.

**PROTECTIVE CLOTHING:** Long sleeved clothing should always be considered when handling chemical substances.

**WORK HYGIENIC PRACTICES:** Good personal hygiene practices should always be followed. Keep away from food, drink and animal feeding stuffs. When using, do not eat, drink or smoke. Hands and any other exposed area should be washed thoroughly with soap and water after contact. Regular laundering of contaminated clothing is essential to reduce indirect skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**PHYSICAL STATE:** Liquid

**ODOR:** Characteristic

**APPEARANCE:** Opaque

**COLOR:** White Milky

**pH:** 7 to 9

**FLASH POINT AND METHOD:** > 100°C (212°F) to 0°C (0°F) Calculated Flash Point

**AUTOIGNITION TEMPERATURE:** 0°C (0°F) to 0°C (0°F)

**VAPOR PRESSURE:** 0

**VAPOR DENSITY:** 0

**BOILING POINT:** ~ 100°C (212°F) to 0°C (0°F)

**FREEZING POINT:** 0°C (32°F)

**SOLUBILITY IN WATER:** Completely soluble.

**SPECIFIC GRAVITY:** ~ 0.990 to 1.00 (Water = 1.00)

**(VOC):** ≤ to 0.00 % by wt.

#### 10. STABILITY AND REACTIVITY

**REACTIVITY:** None Expected.

**HAZARDOUS POLYMERIZATION:** Material will not polymerize.

**STABILITY:** This product is stable under storage at normal ambient temperatures.

**CONDITIONS TO AVOID:** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of carbon, silicon dioxide and formaldehyde.

**INCOMPATIBLE MATERIALS:** Avoid Strong Oxidizing Agents

#### 11. TOXICOLOGICAL INFORMATION

**SERIOUS EYE DAMAGE/IRRITATION:** May be irritating to eyes and skin.

##### CARCINOGENICITY

**IARC:** Not Listed by IARC

**NTP:** Not Listed by NTP

**OSHA:** Not Listed by OSHA

#### 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** Do not allow to enter into surface water or drains.

**ECOTOXICOLOGICAL INFORMATION:** Avoid exposing to the environment, no specific aquatic data available.

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Disposal must comply with federal, state, and local disposal or discharge laws.

**FOR LARGE SPILLS:** Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations.

**PRODUCT DISPOSAL:** Collect in appropriate containers. Dispose of waste at an appropriate waste disposal facility in accordance with current applicable laws and regulation, and product characteristics at time of disposal.

**EMPTY CONTAINER:** Dispose of container in accordance with applicable regulations.

#### 14. TRANSPORT INFORMATION

##### DOT (DEPARTMENT OF TRANSPORTATION)

**PROPER SHIPPING NAME:** Not regulated.

##### VESSEL (IMO/IMDG)

**SHIPPING NAME:** Not regulated.

#### 15. REGULATORY INFORMATION

##### UNITED STATES

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

**311/312 HEALTH HAZARDS:** Not Hazardous.

**313 REPORTABLE INGREDIENTS:** None

**TSCA (TOXIC SUBSTANCE CONTROL ACT)**

Chemical Name	CAS	TSCA SECTION
Siloxanes And Silicones, Di-me	63148-62-9	8a, 8d,

**CALIFORNIA PROPOSITION 65:** This product does not contain listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

**16. OTHER INFORMATION**

**REASON FOR ISSUE:** NEW PRODUCT

**APPROVED BY:** Scott Margulis    **TITLE:** Director


**PREPARED BY:** Scott Margulis    **Date Prepared:** 10/19/2020

**INFORMATION CONTACT:** Scott Margulis

**HMIS RATING**

<b>HEALTH</b>	<input type="text" value="0"/>	<b>0</b>
<b>FLAMMABILITY</b>	<input type="text" value="0"/>	<b>0</b>
<b>PHYSICAL HAZARD</b>	<input type="text" value="0"/>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<input type="text" value=""/>	

**NFPA CODES**



**MANUFACTURER SUPPLEMENTAL NOTES:** All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Manufacturer shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the Manufacturer to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

**MANUFACTURER DISCLAIMER:** Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.