



Safety Data Sheet

(SDS)

Creation Date: 2018/04/10

Revision Date: 2018/04/10

Version: 20180410

Prepared according to UN GHS (the 7th revised edition)

Product Name: Car Leather Wipes

Model: /

Company Name: Hefei Wenqi Industrial&Trade Co., Ltd.

Written by TJTest Technology (Shanghai) Co., Ltd.



1、 Identification of the chemical and supplier

1.1 Product identifier

Product Name: Car Leather Wipes

Product Model: /

Product Code:T180410011A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:Please consult manufacturer.

Uses advised against:Please consult manufacturer.

1.3 Details of the supplier of the Safety Data Sheet

Name of the company: Hefei Wenqi Industrial&Trade Co., Ltd.

Address of the company: 1-3 Floor,East of A21,The 2nd Phase of Gongtuo Liheng Standrd Factory of Fanhua Road,peach Industrial Zone of Hefei Econmic Development District ,Hefei City,Anhui Province

Telephone number: +86 13515662989

Fax number: /

Zip code: 230000

E-mail address:wenqil@wenqixia.com

1.4 Emergency phone number

Emergency phone number:**+86 551-63675668**

2、 Hazards identification:

2.1 Hazard classification according to GHS:The product is not dangerous.

2.2 Label elements

Hazard pictograms : None

Signal word : None

2.3 Hazard statements: None

2.4 Precautionary statements

2.4.1 Prevention

Not applicable

2.4.2 Response

Not applicable

2.4.3 Storage

Not applicable

2.4.4 Disposal

Not applicable

2.5 Hazard description

2.5.1 Physical and chemical hazards

This product is normally used without hazard.

2.5.2 Health hazards

This product is normally used without hazard.

2.5.3 Environmental hazards

Please refer to 12th chapter of SDS.

3、Composition/information on ingredients

Substance Preparation

Composition:

Component	CAS No.	EC No.	Concentration (weight percent, %)
Diazolidinyl Urea	78491-02-8	278-928-2	0.10
Iodopropynyl Butylcarbamate	55406-53-6	259-627-5	0.02
Dimethicone	9006-65-9	203-492-7	1.00
Propylene Glycol	57-55-6	200-338-0	0.35
Polysorbate 20	9005-64-5	500-018-3	0.10
Polyoxyethylene Alkyl Ether	68213-23-0	500-201-8	0.10
PEG-75 Lanolin	61790-81-6	/	0.20
Water Soluble Silicone Oil	9016-00-6	226-171-3	>5.0
Water	7732-18-5	231-791-2	Remaining

4、First aid measures

4.1 Description of first aid measures

General advice: Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Skin contact: During production, take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if felt uncomfortable.

Eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if felt uncomfortable.

Inhalation: Under normal use conditions, no adverse effects will occur. If contact with

decomposition products, irritation occurs. Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.

Intake: Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.

Protecting of first-aiders:

Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

4.2 Most important symptoms and effects, both acute and delayed

1) Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

4.3 Indication of any immediate medical attention and special treatment needed

- 1) Treat symptomatically.
- 2) Symptoms may be delayed.

5、 Firefighting measures

5.1 Extinguishing media

- 1) Suitable extinguishing media: Dry chemical, carbon dioxide or alcohol-resistant foam.
- 2) Unsuitable extinguishing media: Do not use a solid water stream as it may scatter or spread fire.

5.2 Specific hazards arising from the substance or mixture

- 1) Will form explosive mixtures with air.
- 2) Fire exposed containers may vent contents through pressure relief valves thereby increasing fire intensity and/ or vapour concentration.
- 3) Vapours may travel to source of ignition and flash back.
- 4) Liquid and vapour are flammable.
- 5) May emit poisonous fumes on fire.
- 6) Containers may explode when heated.
- 7) Fire exposed containers may vent contents through pressure relief valves.
- 8) May expansion or decompose explosively when heated or involved in fire.

5.3 Advice for firefighters

- 1) As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2) Fight fire from a safe distance, with adequate cover.
- 3) Prevent fire extinguishing water from contaminating surface water or the ground water system.

6、 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- 1) Avoid breathing vapors and contacting with skin and eye.
- 2) Beware of vapours accumulating to form explosive concentrations.
- 3) Vapours can accumulate in low areas.
- 4) Emergency personnel wear positive pressure self-contained breathing apparatus. Wear

protective and anti-static clothing. Wear chemical impermeable gloves.

- 5) Ensure adequate ventilation. Remove all sources of ignition.
- 6) Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 7) Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

6.2 Environmental precautions

- 1) Prevent further leakage or spillage if safe to do so.
- 2) Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

- 1) Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2) Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3) Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7、 Handling and storage :

7.1 Precautions for handling:

- 1) Avoid inhalation of vapors.
- 2) Use only non-sparking tools.
- 3) To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- 4) Use explosion proof equipment.
- 5) Handling is performed in a well ventilated place.
- 6) Wear suitable protective equipment.
- 7) Avoid contact with skin and eyes.
- 8) Keep away from heat/sparks/open flames/ hot surfaces.
- 9) Take precautionary measures against static discharges.

7.2 Precautions for storage:

- 1) Store in a cool, ventilated warehouse.
- 2) Store temperature should not exceed 37 °C, away from fire and heat sources.
- 3) Keep the container sealed.
- 4) Should be stored separately from oxidants, reducing agents, halogens, etc. Avoid mixing.
- 5) Use explosion-proof lighting and ventilation facilities.
- 6) It is forbidden to use mechanical equipment and tools that easily produce sparks.
- 7) The storage area should be equipped with leakage emergency treatment equipment and suitable containment materials.

8、 Exposure controls/personal protection

8.1 Control Parameters

8.1.1 Occupational exposure limits

Occupational Exposure limit values

Component	Country/Region	Limit value - Eight hours	Limit value - Short term
-----------	----------------	---------------------------	--------------------------

		ppm	mg/m ³	ppm	mg/m ³
All components	USA - OSHA	Unspecified	Unspecified	Unspecified	Unspecified
	South Korea	Unspecified	Unspecified	Unspecified	Unspecified
	Ireland	Unspecified	Unspecified	Unspecified	Unspecified
	Germany (AGS	Unspecified	Unspecified	Unspecified	Unspecified
	Denmark	Unspecified	Unspecified	Unspecified	Unspecified
	Australia	Unspecified	Unspecified	Unspecified	Unspecified
	South Korea	Unspecified	Unspecified	Unspecified	Unspecified
	Ireland	Unspecified	Unspecified	Unspecified	Unspecified
	Germany (AGS	Unspecified	Unspecified	Unspecified	Unspecified
	Denmark	Unspecified	Unspecified	Unspecified	Unspecified
	Australia	Unspecified	Unspecified	Unspecified	Unspecified

8.1.2 Biological limit values

Biological limit values: No information available

8.1.3 Monitoring methods

1.EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

2.GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard) .

8.2 Engineering controls

- 1.Ensure adequate ventilation, especially in confined areas.
- 2.Ensure that eyewash stations and safety showers are close to the workstation location.
- 3.Use explosion-proof electrical/ventilating/lighting/equipment.
- 4.Set up emergency exit and necessary risk-elimination area.

8.3 Personal protection equipment

General requirement:



Eye protection : Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US)).

Hand protection : Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.

Respiratory protection : If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full- face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.

Skin and body protection : Wear fire/flame resistant/retardant clothing and antistatic boots.

Other protection: Smoking, eating and drinking are forbidden on the job site. Maintain good

hygiene habits.

9、Physical and chemical properties :

Appearance: White towel

Odor: Smell fragrant.

Odor threshold: Not available.

PH value: 6-7.

Melting point/freezing point (°C): Not available.

Initial boiling point and boiling range (°C): Not available.

Flash point (closed cup, °C): Not available.

Evaporation rate: No data available.

Flammability (solid or gas): Not applicable.

Explosion upper/lower limit [% (v/v)]: Not available.

Vapor pressure (kPa) :Not available.

Vapor density (air = 1): Not available.

Relative density (water = 1): 0.95-1.0 g/cm³

Solubility (mg/L): The finished product is insoluble in water..

Octanol/water partition coefficient:Not available.

Auto-ignition temperature (°C): Not available.

Decomposition temperature (°C): Not available.

Viscosity: Not available.

Others:Resistance value: Not available.

10. Stability and Reactivity:

Reactivity: Contact with incompatible materials can cause decomposition or other chemical reactions.

Chemical stability: stable under the correct conditions of use and storage.

Possibility of hazardous reactions: Reacts violently with oxidants, causing a risk of combustion explosion.

Conditions to avoid: Incompatible materials, heat, flames and sparks.

Incompatible materials: oxidants, alkali metals, alkaline earth metals, and aluminum.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. Toxicological information:

11.1 Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (Transcutaneous)	LC ₅₀ (inhalation, 4h)
All components	Not available	Not available	Not available

11.2 Carcinogenicity:

Component	IARC	NTP

All components	Not Listed	Not Listed
----------------	------------	------------

11.3 Others

Component	Corrosive skin/irritation	Serious eye damage/irritation	Skin sensitization	Respiratory sensitization	Reproductive toxicity	Specific target organ toxicity - single exposure	Specific target organ toxicity - repeated exposure	Aspiration hazard	Germ cell mutagenicity	Reproductive toxicity
All components	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available

12. Ecological information:

12.1 Acute aquatic toxicity

Component	Fish	Crustaceans	Algae
All components	Not available	Not available	Not available

12.2 Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae
All components	Not available	Not available	Not available

12.3 Others

Component	Persistence and degradability	Bioaccumulation or bioaccumulation	Soil mobility	Evaluation of PBT and vPvB results
All components	Not available	Not available	Not available	Not available

13. Disposal considerations

Disposal considerations:

Waste chemicals: If you need medical advice: Please carry product containers or labels.

Contaminated packaging: Residual hazards may still exist after the contents of the packaging are emptied. Keep away from heat and sources of ignition. If possible, recycle them to the supplier for recycling.

Disposal considerations: Refer to the "Disposal" section.

14、 Transportation information:

United Nations Dangerous Goods Number (UN No.): The product is not dangerous.

UN proper shipping name: None

UN Risk Classification: None

Packing Category: None

Packaging label: None

Marine Pollutants (Yes/No): No

Packing method: Pack according to the manufacturer's recommendations, for example: open drums. Ampoule bottle outside the ordinary wooden box. Threaded glass bottles, iron lids, glass bottles, plastic bottles or metal drums (cans) outside the ordinary wooden boxes.

Transportation Note: It is strictly prohibited to mix and transport with acids, alkalis, oxidants, foods and food additives. The exhaust pipe of the vehicle carrying this item must be equipped with a fire-retardant device, which prohibits the use of mechanical equipment and tools that generate sparks. Avoid exposure, rain, and high temperature during transportation. The tank (tank) used for transportation shall have a grounding chain, and a hole partition may be arranged in the tank to reduce the static electricity generated by the vibration.

It is strictly prohibited to mix and transport with oxidants, acids, foods and food additives. It is strictly forbidden to use wooden boats and cement ships for bulk transportation. Avoid exposure, rain, and high temperature during transportation. Transportation vehicles shall be equipped with fire fighting equipment and emergency response treatment equipment of corresponding types and quantities. Before shipping, check whether the packaging container is complete and sealed. On the transportation means, hazard signs and announcements should be posted in accordance with the relevant transportation requirements.

15、 Regulatory information:

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS
Dimethicone	NOT Listed	NOT Listed	Listed	Listed	Listed	Listed	Listed	Listed
PEG-75 Lanolin	NOT Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed
Others	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed

【EINECS】 European Inventory of Existing Commercial Chemical Substances

【TSCA】 United States Toxic Substances Control Act Inventory

【DSL】 Canadian Domestic Substances List

【IECSC】 China Inventory of Existing Chemical Substances

【NZIoC】 New Zealand Inventory of Chemicals

【PICCS】 Philippines Inventory of Chemicals and Chemical Substances

16、 Others

16.1 Reference :

- [1]IPCS:The International Chemical Safety Cards (ICSC) ,website:
<http://www.ilo.org/dyn/icsc/showcard.home>.
- [2]IARC , website: <http://www.iarc.fr/>.
- [3]OECD: The Global Portal to Information on Chemical Substances, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.
- [4]CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>.
- [5]NLM:ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>.
- [6]EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>.
- [7]U.S. Department of Transportation:ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>.
- [8]Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

16.2 Others:

1)Abbreviations and acronyms

CAS –Chemical Abstracts Service	PC-STEL- Short term exposure limit
DNEL - Derived No Effect Level	RPE - Respiratory Protective Equipment
LC50 - Lethal Concentration 50%	NOEC -No Observed Effect Concentration
PBT - Persistent, Bioaccumulative, Toxic	BCF - Bioconcentration factor (BCF)
IMDG-International Maritime Dangerous Goods	UN-The United Nations
NFPA-National Fire Protection Association	
CMR - Carcinogens, mutagens or substances toxic to reproduction	
PC-TWA - Time Weighted Average	IARC - International Agency for Research on Cancer
PNEC –Predicted No Effect Concentration	LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%	
POW - Partition coefficient Octanol:Water	vPvB - very Persistent, very Bioaccumulative
ICAO/IATA-International Civil Aviation Organization/International Air Transportation Association	
ACGIH-American Conference of Governmental Industrial Hygienists	
OECD-Organization for Economic Co-operation and Development	

2)Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

Photograph of sample



*****END*****



SDS Creation Date: 2018/04/10(valid for one year)