

**SAFETY DATA SHEET**

U.S. HazCom GHS Format



Date Issued : 07/05/2019

MSDS No : 01684

**SIMONIZ - WHEEL CLEANER 24oz Trigger****1. PRODUCT AND COMPANY IDENTIFICATION****PRODUCT NAME:** SIMONIZ - WHEEL CLEANER 24oz Trigger**GENERAL USE:** Cleaning Agent**PRODUCT DESCRIPTION:** Cleaner**PRODUCT CODE:** 01684**ALTERNATE TRADE NAME(S):** SKU# 8-19772-01684-9**MANUFACTURER**

Mr. Brands, LLC  
 c/o Closeout Group!  
 113 Fillmore St.  
 Bristol, PA 19007

**Alternate Contact:** Kyle Smith**Customer Service:** 215-633-8611**E-Mail:** MrBrands@MrBrands.Net**24 HR. EMERGENCY TELEPHONE NUMBERS****Poison Control Center (Medical) :** (877) 800-5553**CANUTEC (Canadian Transportation) :** (613) 996-6666**CHEMTREC (US Transportation) :** (800) 424-9300**2. HAZARDS IDENTIFICATION****GHS CLASSIFICATIONS****Health:**

Eye Irritation, Category 2A

Skin Irritation, Category 2

**GHS LABEL**

Exclamation  
 mark

**SIGNAL WORD:** WARNING**HAZARD STATEMENTS**

H319: Causes serious eye irritation.

H315: Causes skin irritation.

**PRECAUTIONARY STATEMENT(S)****Prevention:**

P102: Keep out of reach of children.

P101: If medical advice is needed, have product container or label at hand.

P264: Wash ... thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

**Response:**

P302+P352: IF ON SKIN: Wash with plenty of water/...

P332+P313: If skin irritation occurs: Get medical advice/attention.

P306+P360: IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

#### Storage:

P233: Keep container tightly closed.

#### Disposal:

P501: Dispose of contents: All disposal practices must be in accordance with local, state, national and international regulations.

### EMERGENCY OVERVIEW

**IMMEDIATE CONCERNS:** Caution! Irritant! May Irritate eyes. Refer to Section 4 and 11 for health hazard identification.

### POTENTIAL HEALTH EFFECTS

**EYES:** Causes eye irritation on direct contact.

**SKIN:** May cause mild skin irritation. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, drying and cracking of skin, and skin burns. Passage of this material into the body through the skin is possible, and may add to toxic effects from breathing or swallowing.

**IRRITANCY:** Yes

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Nonhazardous Components or mixutre	> 82 - 95	
Surfactant Blend	< 1 - 5	
2- Butoxyethanol	< 1 - 2	111-76-2
Ethanol, 2-(2-butoxyethoxy)-	~ 0 - 2	112-34-5
Silicic Acid (h2sio3), Disodium Salt	1 - 5	6834-92-0

### 4. FIRST AID MEASURES

**EYES:** Immediately flush eyes with plenty of water. Get medical attention, if irritation persists.

**SKIN:** Immediately remove all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. If irritation develops or persists seek medical attention. Wash contaminated clothing before re-use.

**INGESTION:** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink plenty of water. Call a POISON CENTER or doctor/physician if exposed or you feel unwell.

**INHALATION:** Move the exposed person to fresh air at once. If breathing stops, provide artificial respiration. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

**NOTES TO PHYSICIAN:** Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Foam, carbon dioxide or dry powder.

**HAZARDOUS COMBUSTION PRODUCTS:** Completely or mostly evaporated material may be combustible. Combustion may release oxides of carbon and nitrogen, and ammonia.

**FIRE FIGHTING PROCEDURES:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Water spray may be used to keep fire exposed containers cool.

**FIRE FIGHTING EQUIPMENT:** Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires. For small outdoor fires, which may easily be extinguished with a portable fire extinguisher, use of a SCBA may not be required.

**SENSITIVE TO STATIC DISCHARGE:** No

**SENSITIVITY TO IMPACT:** No

## 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Contain spilled material. Collect in suitable and properly labeled containers. Pick up excess with inert absorbent material. Keep away from drains and ground water.

**LARGE SPILL:** Always employ the proper personal protective equipment. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas through the use of berms. Collect liquid with explosion proof pumps if possible. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers. Fluorocarbon alcohol resistant foams may be applied to spill to diminish vapor and fire hazard.

### ENVIRONMENTAL PRECAUTIONS

**WATER SPILL:** Take precautions to avoid release to the environment. Prevent from entering into soil, ditches, sewers, waterways and/or groundwater.

**LAND SPILL:** Construct temporary dikes of dirt, sand, or any appropriate readily available noncombustible (sawdust) material to prevent spreading of the material.

**GENERAL PROCEDURES:** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**SPECIAL PROTECTIVE EQUIPMENT:** Gloves. Protective goggles. Protective clothing. Large spills/in enclosed spaces: compressed air apparatus.

## 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** No special handling procedures are required. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid breathing spray or mist.

**HANDLING:** Handle and use in a manner consistent with good industrial/manufacturing techniques and practices. Open and handle with care. Do not handle near heat, sparks, or flames. Avoid contact with incompatible agents. Use with adequate ventilation/personal protection. Do not enter storage area that is not adequately ventilated. Metal containers used in a transfer should be bonded and grounded. Use non-sparking tools. Observe good personal hygiene after handling this material.

**STORAGE:** Keep container closed to prevent drying out.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**EXPOSURE GUIDELINES**

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)				
EXPOSURE LIMITS				
Chemical Name	Type		ppm	mg/m <sup>3</sup>
2- Butoxyethanol	OSHA PEL	TWA	50(S)	240(S)
		STEL	NL	NL
	ACGIH TLV	TWA	25(S)	121(S)
		STEL	NL	NL
	Supplier OEL	TWA	NL	NL
		STEL	NL	NL

**ENGINEERING CONTROLS:** If vapors, or mists are generated, provide local exhaust ventilation to prevent airborne exposure. All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94)

**PERSONAL PROTECTIVE EQUIPMENT**

**EYES AND FACE:** Wear chemical splash goggles and face shield when eye and face contact is possible due to splashing or spraying of material. Maintain eye wash fountain and quick-drench facilities in work area.

**SKIN:** To prevent any contact, wear impervious protective clothing such as neoprene or butyl rubber gloves, apron, boots or whole bodysuit, as appropriate.

**PROTECTIVE CLOTHING:** Long sleeved clothing should always be considered when handling chemical substances.

**WORK HYGIENIC PRACTICES:** Good personal hygiene practices should always be followed. Keep away from food, drink and animal feeding stuffs. When using, do not eat, drink or smoke. Hands and any other exposed area should be washed thoroughly with soap and water after contact. Regular laundering of contaminated clothing is essential to reduce indirect skin contact.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**PHYSICAL STATE:** Liquid

**ODOR:** Characteristic

**ODOR THRESHOLD:** No data available

**APPEARANCE:** Clear Liquid

**COLOR:** Colorless to Yellow

**pH:** ~ 11 to 13

**BOILING POINT:** ~ 100°C (212°F)

**FREEZING POINT:** 0°C (32°F)

**SOLUBILITY IN WATER:** Completely soluble.

**SPECIFIC GRAVITY:** ~ 0.97 to 1.01 (Water = 1.00)

**(VOC):** ~ 2 % by wt.

**10. STABILITY AND REACTIVITY**

**REACTIVITY:** This product is stable and non-reactive under normal conditions of use, storage and transportation.

**HAZARDOUS POLYMERIZATION:** Material will not polymerize.

**STABILITY:** This product is stable under storage at normal ambient temperatures.

**CONDITIONS TO AVOID:** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of Carbon.

**INCOMPATIBLE MATERIALS:** Avoid Strong Oxidizing Agents

#### 11. TOXICOLOGICAL INFORMATION

**SERIOUS EYE DAMAGE/IRRITATION:** Material is a defatting agent and may result in soreness, inflammation and possible dermatitis.

##### **CARCINOGENICITY**

**IARC:** Not Listed by IARC

**NTP:** Not Listed by NTP

**OSHA:** Not Listed by OSHA

**STOT-REPEATED EXPOSURE:** Severe defatting of the skin.

#### 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL DATA:** Do not allow to enter into surface water or drains.

**ECOTOXICOLOGICAL INFORMATION:** Avoid exposing to the environment, no specific aquatic data available.

**BIOACCUMULATION/ACCUMULATION:** Low potential for bioaccumulation (Log Kow < 4).

**GENERAL COMMENTS:** Do not release into surface water.

#### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Disposal must comply with federal, state, and local disposal or discharge laws.

#### 14. TRANSPORT INFORMATION

##### **DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Not regulated.

##### **VESSEL (IMO/IMDG)**

**SHIPPING NAME:** Not regulated.

##### **CANADA TRANSPORT OF DANGEROUS GOODS**

**SHIPPING NAME:** Not regulated.

#### 15. REGULATORY INFORMATION

##### **UNITED STATES**

**SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)**

#### 16. OTHER INFORMATION


**REASON FOR ISSUE:** NEW PRODUCT

**APPROVED BY:** Scott Margulis    **TITLE:** Technical Director

**PREPARED BY:** S Margulis    **Date Prepared:** 07/05/2019

**HMIS RATING**

<b>HEALTH</b>	<input type="checkbox"/>	<b>2</b>
<b>FLAMMABILITY</b>		<b>0</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>
<b>PERSONAL PROTECTION</b>		<b>B</b>

**NFPA CODES**

**MANUFACTURER SUPPLEMENTAL NOTES:** All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Manufacturer shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the Manufacturer to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

**MANUFACTURER DISCLAIMER:** Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.