

SAFETY DATA SHEET



Date issued : 09/09/2023
 SDS number : 32064
 Date revised : 09/06/2023
 Revision number : 1

Pennzoil - 64oz Car Wash w/ UV Protectant

1. Identification

Product code: 32064
Product identifier: Pennzoil - 64oz Car Wash w/ UV Protectant
Product description: Car Wash & Wax
Product formulation name: CAR WASH & WAX FLUID
Generic name: CAR WASH SOAP
Relevant identified uses: Automotive Appearance Product

Manufacturer / Supplier

Mr. Brands, LLC
 113 Fillmore St.
 Bristol, PA 19007
Alternate Contact: Kyle Smith
Customer Service: 215-633-8611
E-Mail: MrBrands@MrBrands.Net

Emergency telephone number (24 hour)

Poison Control Center (Medical) : (800) 222-1222
CANUTEC (Canadian Transportation) : (613) 996-6666
CHEMTREC (US Transportation) : (800) 424 9300

2. Hazard identification

Classification of the substance or mixture

Health hazards:

Eye Irritation, Category 2B

Label elements

Not classified as dangerous in accordance with OSHA 29CFR 1910.1200 or by Regulation (EC) No. 1272/2008.

Signal word: WARNING

Hazard statement(s)

H320: Causes eye irritation.

Precautionary statement(s)

Prevention:

P264: Wash ... thoroughly after handling.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Emergency overview

Immediate concerns: Caution! Irritant! May Irritate eyes. Refer to Section 4 and 11 for health hazard identification.

Potential health effects

Ingestion: Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful. This material can get into the lungs during swallowing or vomiting. This results in lung inflammation and other lung injury.

Irritancy: High temperatures / direct heat

3. Composition/information on ingredients

| Chemical name | % w/w | CAS No. |
|--|-----------|------------|
| Water | > 80 | 7732-18-5 |
| Linear Primary Alcohol Ethoxylate | < 3 - 8 | 68439-46-3 |
| 1-propanaminium, 3-amino-n-(carboxymethyl)-n,n-dimethyl-, N-coco Acyl Dervis., Inner Salts | < 1 - 5 | 61789-40-0 |
| Sodium Lauryl Sulfate | < 1 - 3 | 151-21-3 |
| Xanthan Gum | < 1 - 3 | 11138-66-2 |
| Carnauba Wax | < 0.5 - 1 | 8015-86-9 |
| Proprietary Component | 0 - 1 | Mixture |

4. First-aid measures

Eye: Adverse effect not expected from this product. In case of eye irritation rinse with plenty of water. If irritation persists consult a physician,

Skin: Immediately remove all contaminated clothing. After contact with skin, wash immediately with plenty of water and soap. If irritation develops or persists seek medical attention. Wash contaminated clothing before re-use.

Ingestion: NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Rinse mouth thoroughly. Get medical attention if any discomfort continues.

Inhalation: No Significant hazard.

Most important symptoms and effects, both acute and delayed

Eye: May be irritating.

Skin: Contact may cause skin irritation and defatting

Indication of immediate medical attention and special treatment needed, if necessary: Treat symptomatically.

Comments: No specific first aid measures noted.

5. Fire-fighting measures

General hazard: This product is not flammable.

Suitable extinguishing media: This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. Foam, carbon dioxide or dry powder.

Hazardous combustion products: None Expected.

Explosion hazards: None Expected.

Fire fighting procedures: In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode. Water spray may be used to keep fire exposed containers cool.

Fire fighting equipment: Respiratory and eye protection are required for fire fighting personnel. Full protective equipment (Bunker Gear) and self contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires.

Fire explosion: None Expected.

Sensitivity to static discharge: None

Sensitivity to mechanical impact: None

Hazardous decomposition products: None Expected.

6. Accidental release measures

Small spill: Avoid runoff into storm sewers and ditches which lead to waterways.

Environmental precautions

Water spill: Depending on the size of the spill and the movement characteristics of the water into which it entered, consider use of booms, underflow or overflow dams. Diversion of the material is also an option. Mechanical skimmers, pads and other absorbent materials may be considered as well.

Land spill: Construct temporary dikes of dirt, sand, or any appropriate readily available noncombustible (sawdust) material to prevent spreading of the material.

General procedures: Absorb with diatomaceous earth or equivalent inert material. Shovel up and dispose of at an appropriate waste disposal facility according to current applicable laws and regulations, and product characteristics at time of disposal.

7. Handling and storage

General procedures: Use with sufficient ventilation to keep employee exposure below recommended limits.

Precautions for safe handling: Handle and use in a manner consistent with good industrial/manufacturing techniques and practices. Open and handle with care.

Conditions for safe storage: Keep container closed to prevent drying out.

8. Exposure controls/personal protection

Appropriate engineering controls: If vapors, or mists are generated, provide local exhaust ventilation to prevent airborne exposure. All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94)

Individual protection measures, such as personal protective equipment

Eye / face protection: Wear chemical splash goggles and face shield when eye and face contact is possible due to pressure in container.

Skin protection - hand protection: To prevent any contact, wear impervious protective clothing such as neoprene or butyl rubber gloves, apron, boots or whole body suit, as appropriate.

Skin protection - other: Long sleeved clothing should always be considered when handling chemical substances.

Occupational hygiene practices: Good personal hygiene practices should always be followed. Keep away from food, drink and animal feeding stuffs. When using, do not eat, drink or smoke. Hands and any other exposed area should be washed thoroughly with soap and water after contact. Regular laundering of contaminated clothing is essential to reduce indirect skin contact.

Other use precautions: Provide adequate ventilation Do not allow to enter into surface water or drains.

Comply with applicable applicable Environmental Protection Legislation.

9. Physical and chemical properties

| Chemical name | Flash Point (°C) |
|-----------------------------------|------------------|
| Linear Primary Alcohol Ethoxylate | 334 |

Physical state: Liquid

Appearance: Clear Liquid

Color: Blue or Red

Odor: Characteristic

pH: 7 to 9

Freezing point: ~ 0.00°C (32.00°F)

Initial boiling point and boiling range: ~ 100°C (212°F)

Flash point: > 100°C (212°F) Calculated Flash Point

Relative density: ~ 1 to 1.06 (Water = 1.00)

Solubility: Miscible ---

Completely soluble.

VOC content: ~ to 0.000 % by wt.

10. Stability and reactivity

Reactivity: High temperatures / direct heat

Dangerous polymerization: Material will not polymerize.

Chemical stability: This product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions: NA = Not Applicable

Hazardous decomposition products: Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

Incompatible materials: None

11. Toxicological information

Acute toxicity

| Chemical name | LD ₅₀ (oral) mg/kg(rat) | LD ₅₀ (dermal) mg/kg(rabbit) |
|-----------------------------------|------------------------------------|---|
| Linear Primary Alcohol Ethoxylate | 1400 to 2700 | > 4000 |
| Sodium Lauryl Sulfate | 800 to 1288 | |

Carcinogenicity

IARC: Not Listed by IARC

NTP: Not Listed by NTP

OSHA: Not Listed by OSHA

12. Ecological information

Ecotoxicological information: There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

13. Disposal considerations

Disposal methods: Disposal must comply with federal, state, and local disposal/discharge laws.

For large spills: Dispose of waste at an appropriate waste disposal facility according to current applicable laws and regulations.

Product disposal: Collect in appropriate containers. Dispose of waste at an appropriate waste disposal facility in accordance with current applicable laws and regulation, and product characteristics at time of disposal.

Empty container: Ensure container is empty. In a properly ventilated system, rinse drums with plenty of water and steam to remove vapors before disposal in accordance with applicable regulations.

14. Transport information

USA Department of Transport Regulations (DOT)

UN proper shipping name: Not Classified

Technical name: NA = Not Applicable

ADR / RID - road / rail

UN proper shipping name: Not Classified

ICAO / IATA - air

UN proper shipping name: Not Classified

IMO / IMDG - International

UN proper shipping name: Not Classified

15. Regulatory information

UNITED STATES

SARA Section 311/312 Hazard Categories

311/312 Health hazards: None Expected.

TSCA (The Toxic Substances Control Act)

| Chemical name | CAS No. |
|--|------------|
| Water | 7732-18-5 |
| Linear Primary Alcohol Ethoxylate | 68439-46-3 |
| 1-propanaminium, 3-amino-n-(carboxymethyl)-n,n-dimethyl-, N-coco Acyl Dervis., Inner Salts | 61789-40-0 |
| Sodium Lauryl Sulfate | 151-21-3 |

16. Other information

Approved by: Scott Margulis **Title:** Technical Director

Prepared by: Responder ESP Consulting, LLC **Date revised:** 09/06/2023


Information contact: Scott Margulis

Revision summary: This SDS replaces the 09/09/2023 SDS. Revised: **Section 2:** Classification of the substance or mixture, Label elements, Precautionary statement(s).

HMIS rating

| | |
|---------------------|---|
| Health | 1 |
| Flammability | 0 |
| Physical hazard | 0 |
| Personal protection | B |

NFPA codes



Manufacturer supplemental notes: All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The Manufacturer shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the

product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the Manufacturer to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Additional SDS information: Prepared by: Responder LLC-973-809-6700

Manufacturer disclaimer: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user. Nothing is intended as a recommendation for uses which infringe valid patents or as extending license under valid patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.