



Mr. Brands, LLC.

ADD.: 1414 Radcliffe St.Suite 105,Bristol, PA 19007

<http://www.mrbrands.com>

Tel.:1-877-420-7555 Fax:215-633-8615

Safety Data Sheet

(SDS)

Creation Date: 2026/06/08

Revision Date: 2026/06/08

Version: 202600608

Prepared according to UN GHS (the 7th revised edition)

Product Name: Ultra Hardware - 100pk 10in x 12in Heavy
Duty Textured Cleaning Wipes

Model: /

Company Name: Mr. Brands, LLC.



Mr. Brands, LLC.

ADD.: 1414 Radcliffe St.Suite 105,Bristol, PA 19007

<http://www.mrbrands.com>

Tel.:1-877-420-7555 Fax:215-633-8615

1、 Identification of the chemical and supplier

1.1 Product identifier

Product Name: Ultra Hardware - 100pk 10in x 12in Heavy Duty Textured Cleaning Wipes

Product Model: 83723

Product Brand: Ultra Hardware

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Please consult manufacturer.

Uses advised against: Please consult manufacturer.

1.3 Details of the supplier of the Safety Data Sheet

Supplier(Manufacturer):	Mr. Brands, LLC.
Address:	1414 Radcliffe St.Suite 105,Bristol, PA 19007
Contact person(E-mail):	http://www.mrbrands.com
Telephone:	1-877-420-7555
Fax:	215-633-8615

1.4 Emergency phone number

Emergency phone number: 1-877-420-7555

2、 Hazards identification

2.1 Hazard classification according to GHS: The product is not dangerous.

2.2 Label elements

Hazard pictograms: None

Signal word: None

2.3 Hazard statements: None

2.4 Precautionary statements

2.4.1 Prevention

Not applicable

2.4.2 Response

Not applicable

2.4.3 Storage

Not applicable

2.4.4 Disposal

Not applicable

2.5 Hazard description

2.5.1 Physical and chemical hazards

This product is normally used without hazard.

2.5.2 Health hazards

This product is normally used without hazard.

2.5.3 Environmental hazards

Please refer to 12th chapter of SDS.



3、Composition/information on ingredients

Substance ☐ Preparation ☒

Composition:

Component	CAS No.	Concentration (weight percent, %)
Benzyl Alcohol	100-51-6	0.50
Caprylyl Glycol	1117-86-8	0.80
1,2-Benzisothiazolin-3-One	2634-33-5	0.05
Ethylhexylglycerin	70445-33-9	0.05
Propylene carbonate	108-32-7	0.30
PEG40 Hydrogenated CasTor Oil	61788-85-0	0.50
Polyoxyethylene Alkyl Ether	68213-23-0	0.50
C12- 15 Alcohol Ethoxylate	68131-39-5	0.50
Ethoxydiglycol	111-90-0	0.50
Propylene Glycol	57-55-6	0.15
Water	7732- 18-5	Remaining

4、First aid measures

4.1 Description of first aid measures

General advice: Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.

Skin contact: Rinse with clean water,Ensure that you understand the relevant personal protection knowledge,Take precautions to protect themselves

Eye contact: Wash with running water or saline,Seek medical attention if necessary.

Inhalation: Move to fresh air,Keep the airway open,Seek medical attention if you feel unwell.

Intake: Clean up the mouth, induce vomiting, seek medical attention.

Protecting of first-aiders: Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

4.2 Indication of any immediate medical attention and special treatment needed

- 1) Treat symptomatically.
- 2) Symptoms may be delayed.

5、Firefighting measures

5.1 Extinguishing media

- 1) Suitable extinguishing media: Water,alcohol-resistant foam,dry powder,carbon dioxide .
- 2) Unsuitable extinguishing media: No available.

5.2 Specific hazards arising from the substance or mixture

- 1) No available.

5.3 Advice for firefighters

- 1) As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and ull protective gear.

- 2) Fight fire from a safe distance, with adequate cover.
- 3) Prevent fire extinguishing water from contaminating surface water or the ground water system.

6、Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- 1) Emergency personnel wear positive pressure self-contained breathing apparatus. Wear protective and anti-static clothing. Wear chemical impermeable gloves.
- 2) Ensure adequate ventilation. Remove all sources of ignition.
- 3) Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 4) Use personal protective equipment. Avoid breathing vapours, mist, gas or dust

6.2 Environmental precautions

- 1) Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

- 1) Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 2) Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7、Handling and storage

7.1 Precautions for handling:

- 1) Closed operation, full ventilation.
- 2) Operators must be specially trained to strictly abide by the operating procedures.
- 3) It is recommended that operators wear self-priming filter dust masks and chemical safety glasses.
- 4) Keep away from fire, heat, and smoking in the workplace.
- 5) Use explosion-proof ventilation systems and equipment

7.2 Precautions for storage:

- 1) Store in a cool, ventilated warehouse.
- 2) Keep away from fire and heat.
- 3) It should be stored separately from oxidants, reducing agents, halogens, etc., and should not be mixed.

8、Exposure controls/personal protection

8.1 Control Parameters

8.1.1 Occupational exposure limits

Occupational Exposure limit values

Component	Country/Region	Limit value - Eight hours		Limit value - Short term	
		ppm	mg/m ³	ppm	mg/m ³
All components	USA - OSHA	Unspecified	Unspecified	Unspecified	Unspecified
	South Korea	Unspecified	Unspecified	Unspecified	Unspecified
	Ireland	Unspecified	Unspecified	Unspecified	Unspecified
	Germany (AGS	Unspecified	Unspecified	Unspecified	Unspecified
	Denmark	Unspecified	Unspecified	Unspecified	Unspecified
	Australia	Unspecified	Unspecified	Unspecified	Unspecified

8.1.2 Biological limit values

Biological limit values: No information available

8.1.3 Monitoring methods

1. EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

2.GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air(Series standard).

8.2 Engineering controls

1. Ensure adequate ventilation, especially in confined areas.
2. Ensure that eyewash stations and safety showers are close to the workstation location.
3. Use explosion-proof electrical/ventilating/lighting/equipment.
4. Set up emergency exit and necessary risk-elimination area.

8.3 Personal protection equipment

General requirement:



Eye protection: Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US)).

Hand protection: Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.

Respiratory protection: Wear ordinary protective masks.

Skin and body protection: Wear ordinary protective clothing

Other protection: Smoking, eating and drinking are forbidden on the job site. Maintain good hygiene habits.

9、 Physical and chemical properties

Appearance: White towel

Odor: NO

Odor threshold: Not available.

PH value: 6-7.

Melting point/freezing point (°C): Not available.

Initial boiling point and boiling range (°C): Not available.

Flash point (closed cup, °C): Not available.

Evaporation rate: No data available.

Flammability (solid or gas): Not applicable.

Explosion upper/lower limit [% (v/v)]: Not available.

Vapor pressure (kPa): Not available.

Vapor density (air = 1): Not available.

Relative density (water = 1): 0.95-1.0 g/cm³

Solubility (mg/L): The finished product is insoluble in water..

Octanol/water partition coefficient: Not available.

Auto-ignition temperature (°C): Not available.

Decomposition temperature (°C): Not available.

Viscosity: Not available.

Others:Resistance value: Not available.

10、 Stability and Reactivity

Reactivity: Contact with incompatible materials can cause decomposition or other chemical reactions.

Chemical stability: Stable under the correct conditions of use and storage.



Mr. Brands, LLC.

ADD.: 1414 Radcliffe St.Suite 105,Bristol, PA 19007

<http://www.mrbrands.com>

Tel.:1-877-420-7555 Fax:215-633-8615

Possibility of hazardous reactions: Not available

Conditions to avoid: Electrostatic discharge, heat, humidity, etc.

Incompatible materials: Strong oxides, strong acids, strong bases.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11、 Toxicological information

11.1 Acute toxicity

Component	LD ₅₀ (oral)	LD ₅₀ (Transcutaneous)	LC ₅₀ (inhalation, 4h)
All components	Not available	Not available	Not available

11.2 Carcinogenicity:

Component	IARC	NTP
All components	Not Listed	Not Listed

11.3 Others

Component	Corrosive skin/irritation	Serious eye damage/irritation	Skin sensitization	Respiratory sensitization	Reproductive toxicity	Specific target organ toxicity - single exposure	Specific target organ toxicity - repeated exposure	Aspiration hazard	Germ cell mutagenicity	Reproductive toxicity
All components	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available	Not available

12、 Ecological information

12.1 Acute aquatic toxicity

Component	Fish	Crustaceans	Algae
All components	Not available	Not available	Not available

12.2 Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae
All components	Not available	Not available	Not available

12.3 Others

Component	Persistence and degradability	Bioaccumulation or bioaccumulation	Soil mobility	Evaluation of PBT and vPvB results
All components	Not available	Not available	Not available	Not available

13、 Disposal considerations

Disposal considerations: Recycle as much as possible

Waste chemicals: Contaminated packaging: Residual hazards may still exist after the contents of the packaging are emptied. Keep away from heat and sources of ignition. If possible, recycle them to the supplier for recycling.

Disposal considerations: Refer to the "Disposal" section.

14、 Transportation information

United Nations Dangerous Goods Number (UN No.): The product is not dangerous.

UN proper shipping name: None

UN Risk Classification: None

Packing Category: None

Packaging label: None

Marine Pollutants (Yes/No): No

Packing method: Pack according to the manufacturer's recommendations.

Transportation Note: Not available.

15、 Regulatory information

International chemical inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS
All components	Listed	Listed	Listed	Listed	Listed	Listed	Listed	Listed

【EINECS】 European Inventory of Existing Commercial Chemical Substances

【TSCA】 United States Toxic Substances Control Act Inventory

【DSL】 Canadian Domestic Substances List

【IECSC】 China Inventory of Existing Chemical Substances

【NZIoC】 New Zealand Inventory of Chemicals

【PICCS】 Philippines Inventory of Chemicals and Chemical Substance

16、 Others

16.1 Reference:

[1]IPCS:The International Chemical Safety Cards (ICSC),website:<http://www.ilo.org>

[2]IARC, website: <http://www.iarc.fr/>.

[3]OECD: The Global Portal to Information on Chemical Substances, website:

<http://www.echemportal.org>

[4]CAMEO Chemicals, website: <http://cameochemicals.noaa.gov>.

[5]NLM:ChemIDplus, website: <http://chem.sis.nlm.nih.gov>.

[6]EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov>.

[7]U.S. Department of Transportation:ERG, website: <http://www.phmsa.dot.gov>.

[8]Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>.

16.2 Other

1) Abbreviations and acronyms

CAS –Chemical Abstracts Service

DNEL - Derived No Effect Level

EquipmentLC50 - Lethal Concentration 50%

PBT - Persistent, Bioaccumulative, Toxic

IMDG-International Maritime Dangerous Goods

NFPA-National Fire Protection Association

CMR - Carcinogens, mutagens or substances toxic to reproduction

PC-TWA - Time Weighted AverageIARC - International Agency for Research on Cancer

PNEC –Predicted No Effect Concentration

EC50 - Effective Concentration 50%

PC-STEL- Short term exposure limit

RPE - Respiratory Protective

NOEC -No Observed Effect Concentration

BCF - Bioconcentration factor (BCF)

UN-The United Nations

LD50 - Lethal Dose 50%



Mr. Brands, LLC.

ADD.: 1414 Radcliffe St.Suite 105,Bristol, PA 19007

<http://www.mrbrands.com>

Tel.:1-877-420-7555 Fax:215-633-8615

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA-International Civil Aviation Organization/International Air Transportation Association

ACGIH-American Conference of Governmental Industrial Hygienists

OECD-Organization for Economic Co-operation and Development

2) Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.